



# SYNERGY FIRE SAFETY<sup>®</sup> TRADERS

Deals in Total Fire & Safety Solutions

Traders, Stockist & Authorized Dealers

## Why Synergy Fire & Safety Traders

Working with Synergy Fire & Safety Traders similarly working with world known brands. It ensures that you are getting total solution under one roof and getting right product at competitive prices. Our distributionship primary objective to provide the competitive prices, minimum lead time either with stock or import and authentic high quality products with its Engineering.

**Lahore Office:** 1st Floor, Sadaat Plaza, Umer Block Allama Iqbal Town, Lahore.

**RWP/ISB Address:** Main Murree Road, Rawalpindi.

**Factory:** Ameer Chowk, 01 PCSIR Near Kot Lakhpat Industrial Area, Lahore.

**Mob:** 0300-8402984, **E-mail:** sales@synergyfiresafety.com

## INTRODUCTION

### ABOUT US:

Synergy Fire Safety Traders is full solution providers of Fire Fighting equipment, industrial safety equipments, road safety equipments, fire alarm, fire pump sets, and safety engineering under one roof.

Our staffs is highly trained and experienced which enables us to provide expert advice, quality services, competitive priced products and unrivalled customer care service in order to meet the demands of our valued clients.

Established in 2008, Synergy Fire & Safety Solution has become one of the leading and competitive company in the field of Fire & Safety Protection industry in Pakistan. We are not only actually doing business but exploring the awareness of latest products and technologies at industrial level. We are associated with trusted brands to meet the requirement at world-class level products in Fire & Safety markets through our subsidiaries.

We are committed in delivering products and services to help by keeping people and property safe. At Synergy Fire & Safety Traders, we're working hard to make the Pakistan a safer place from the incidentets which are due to lack of awreness and safeties. And through the drive and determination of our employees we ensure that our legacy of quality and innovation continues to grow. We are

committed to delivering effective solutions that help to keep people and property safe.

This responsibility has been our central tenet and it's why we work every day on improving our systems & services.

---

**Mission:** Our mission is to empower customer to secure life, property and business by delivering high quality and innovative fire protection products & solution.

---

**Vision:** To establish human Life, Safety and Security as an important human obligation in the Industries, Offices, Roads, Schools, Home for SAFE and SOUND Society who will employ this as an index to prevent future incidents and revoke regrets and grow to become a world leader.

---

**Values:** We aspire to become a leading example in innovation, flexibility, service and total quality, respected and recognized by both our customers and the society of which we are part. We aim to continue our geographical expansion with a growth that is diversified, profitable and socially responsible, and which will generate employment and wealth for all involved.

---

OUR VALUED CLIENTS



# FIRE EXTINGUISHER

## FIRE EXTINGUISHERS:

### TYPE:

- 1) WET CHEMICAL TYPE (FOR KITCHEN USE)
- 2) CO2 TYPE (FOR ELECTRICAL USE)
- 3) FOAM TYPE (FOR OIL, PLASTIC, WOOD E.T.C.) – STRICTLY NOT USE FOR ELECTRIC FIRE
- 4) CLEAN AGENT (MULTIPURPOSE)
- 5) POWDER TYPE (MULTIPURPOSE)
- 6) WATER TYPE (WOOD, COTTON, FABRIC E.T.C.)

Origin: China/UAE

Portable Sizes: 1,2,3,4,5,6,8,9,10

Trolleys sizes: 10,25,30,50, 100, 200 KG/Litre



MOBILE: 0300-8402984  
WWW.SYNERGYFIRESAFETY.COM



## FIRE EXTINGUISHING TROLLEYS

TYPE AVAILABLE: WATER, CO2, POWDER, AFFF, HCFC

Origin: China/UAE

Trolleys sizes: 10,25,30,50, 100, 200 KG/Litre

# FIRE HOSE RACK ASSEMBLY



## **FIRE HOSE RACK ASSEMBLY**

SIZE & COLOR: 1.5", 2.5" / White

Service Pressure: 250 PSI

Proof Pressure: 500 PSI

Burst Pressure: 750 PSI

**Coupling Type** 1-1½" NH Female Threaded Coupling, Brass

### **ANGLE VALVE:**

Working Pressure: 300 PSI

Test Pressure: 600 PSI

### **NOZZLE**

Inlet Size: 1.5" Female NST Threaded

## **FEATURES:**

- Hose rack frame material made of Stainless Steel Gr.304.
- Provides an immediate water source for fire suppression.
- Easy operational for single person.
- Hose rack is designed to hold the hose with movable pins for easy & quick operation at the time of Emergency.
- An automatic release mechanism allows water to flow through the hose after removal of the hose and nozzle.
- Standard assemblies include:
  - Angle Valve or pressure reducing type valve (UL/FM approved)
  - Hose Rack frame material made of stainless steel
    - Brush Finish
    - Mirror Finish
    - RED (RAL 3000) Powder Coated Oven Baked
  - Hose rack frame
  - Hose rack nipple
  - Hose coupling
  - Fire Hose - 30 Mtr. (UL Listed)
  - Fog nozzle. (UL and/or FM approved)

# FIRE FIGHTING HOSES



## Duralex Fire Hose, UL Listed

Origin: UAE  
 Sizes: 1 1/2", 2 1/2"  
 Hose: Type 3  
 Available Color Red  
 Certification: UL Listed  
 Coupling Instantaneous hose quick coupling (Aluminum/Brass).  
 Standard Length 30 Meters, other lengths available



## Single Jacket Hose

Origin: UAE  
 Sizes: 1 1/2", 2 1/2"  
 Hose: Type 2  
 Available Color Red  
 Coupling Instantaneous hose quick coupling (Aluminum/Brass).  
 Standard Length 30 Meters, other lengths available



## Single Jacket Hose

Origin: UAE  
 Sizes: 1 1/2", 2 1/2"  
 Hose: Type 2  
 Available Color: White & Red  
 Standard/Compliance: UL19, NFPA 1961/UL Listed  
 Coupling Instantaneous hose quick coupling (Aluminum/Brass).  
 Standard Length 30 Meters, other lengths available



## FIRE HOSE REEL & CABINETS

Operation Type: MANUAL ARM SWING  
 AUTOMATIC TYPE & MANUAL TYPE  
 Type: Cabinet type / Wall mounted type  
 ORIGIN: UAE / CHINA

# FIRE FIGHTING ACCESSORIES



## FIRE WATER MONITOR

Type: Fixed type  
Origin: PAK-MADE



## SPECIAL FOAM CABINET

Accessories: Cabinet, 2x25Litre Foam, Foam Nozzle, Inductor, Hose, Reel, Bucket, Pickup tube  
Type: Cabinet type  
ORIGIN: UAE / LOCAL



## ALARM CHECK VALVE ASSEMBLY

Accessories: Alarm Valve, Retard Chamber, Sprinkler Alarm, Guages, G-valve  
Size: Available upon required  
Certification: UL Listed  
Origin: UK



## INTEGRATED DELUGE SKID

Normal Size: 200,150,100, 80, 50 NB

**ACTUATION:** Electric, Dry Pilot or Wet Pilot and Manual Release

**TRIM:** Galvanized steel with brass valves standard supply.

**ORDERING:** Size, Deluge valve model, INFORMATION Trim

Type Mounting (Vertical or Horizontal)

Certification: UL LISTED



## AUTO ZONE CHECK VALVE

Available Pipe Size: 2" to 6"

Standard type: Right/Left Handed

Maximum WP: 12 Bar

Test Pressure: 18 Bar

zonecheck Flow-switch Tester includes:

- 1 Zonecheck circulating pump
- 1 Zonecheck Key-switch • 1 Flow-switch
- 1 Inlet valves complete with union tail
- 1 Outlet valves complete with NRV union tail
- 1 650mm long Schedule 40 (assembly)
- 1 set of labels and installation guide



**STANDARD BRANCH PIPE**  
 Type: Aluminum/Brass/Plastic  
 Origin: Local  
 Sizes: 2½ x 12, 2½ x 18




**DELIVERY HOSE MALE/FEMALE COUPLING**  
 Type: Aluminum/Brass/Gun Metal/Plastic  
 Origin: Local  
 Sizes: 1 ½, , 2 ½



**TRIPLE PURPOSE NOZZLE (TP NOZZLE)**  
 Type: Gun Metal, Chrome Plated  
 Triple Purpose: Jet, Fire Spray, Shut off  
 Origin: Local | Sizes: 2½ x 12



**FIRE AXE**  
 Type: Stainless Steel  
 Origin: Taiwan/China  
 Size: Standard/Long



**FIRE STAND & BUCKET**  
 Type: Metal  
 Origin: Local  
 Size: 4 and 6 Buckets



**TurboJet Fire Hose Nozzle, Pistol-Grip**  
 Type: Aluminum  
 Origin: Chinese / UAE  
 Sizes: 2 ½ "



**BATTERY SMOKE DETECTOR**  
 Type: Ionization / Photoelectric  
 Origin: China/Taiwan



**AUTOMATIC FIRE EXTINGUISHER**  
 Type: DCP/WATER/AFFF  
 Size: 6 Kg  
 Origin: China/UAE



**HAND HELD BRANCH PIPE**  
 Type: Aluminum / Fiber  
 Origin: Chinese / UAE  
 Sizes: 2½ x 18,

**SPRINKLER**  
 Type: Gun Metal  
 Covering: 6CSF  
 Origin: China, USA, UAE



# MOBILE FOAM UNIT



## **Description:**

Mobile Foam Trolley Unit is an ideal solution for quick mobilisation and application of foam for tackling flammable liquid fires and spills, such as in Oil Depots, Petrochemical complexes, etc.

The sturdy FRP body has a capacity to hold 100 ltrs. of foam compound, which allows more than 7 minutes of continuous application using the FB 10X (450 lpm capacity) foam branch or almost 15 minutes using the FB 5X (225 lpm capacity) foam branch i.e. over 32000 ltrs. of finished foam.

## **General Features:**

- One man operation
- Large diameter fill cap
- Suitable for all types of foams
- Corrosion resistant body painted steel frame
- 100 litre capacity chemically – resistant polyethylene tank



**FIRE & HEAT**  
**RETARDANT**  
**APPARELS**



**Fire Man Turn Out Gear Suit With High Visible And Reflector 3M tape**

**EN469:2005 Certified**

**SHIRT**

1<sup>st</sup> Layer **NOMEX<sup>®</sup>** Fabric 250 GSM (**NOMEX<sup>®</sup>** by Dupont) With oil and Water Repellent  
**Rib Stop:** Orange Color  
**Shoulder Side:** Rib Stop Fabric 7 oz **NOMEX<sup>®</sup>**  
**Collar Outer Side:** Rib Stop Fabric Walky Talky Rib Stop Pockets  
**Front Placket:** Rib Stop  
**Front Pockets:** 02 Rib Stop with Snap Buttons  
**Locks:** 04 for rescue purpose  
**Buttons:** 05 Snap Buttons front lock  
**Inner Side:** 01 pocket



**Front Shirt**

Fabric **NOMEX<sup>®</sup>** weaved in 2/1 with 250 GSM in black color

**Reflectors**

- 1. Lemon Green High Visible
- 2. Reflectors
- 3. Red High Visible

2<sup>nd</sup> Layer: Membrane **NOMEX<sup>®</sup>** Fabric 150 GSM

**NOMEX<sup>®</sup>** Fabric Royal Blue color 150 GSM with Moisture barrier membrane Fire retardant

3<sup>rd</sup> Layer: **NOMEX<sup>®</sup>** Non Woven

**NOMEX<sup>®</sup>** Non Woven needle punch thermal barrier

4<sup>th</sup> Layer: Fire Retardant cotton 280 GSM Red Color

**Note : All 2<sup>nd</sup> layers are attached with snaps buttons and are detachable.**

**TROUSERS**

**Fly:** Orange with 2 Front snap buttons  
**Rescue Hook:** 01  
**Belts:** 2 Adjustment Size Belts  
**Knee Protection:** 2 orange Rib Stop  
**Pockets:** 2 pocket Back Rib Stop with one snap button each  
**Reflectors**  
 1. Lemon Green High Visible  
 2. Reflectors  
 3. Red High Visible

**Note : All 2<sup>nd</sup> layers are attached with snaps buttons and are detachable.**



KEVLAR<sup>®</sup>

NOMEX<sup>®</sup>



**FIRE RETARDANT NOMEX® COVER ALL**

Type: Nomex  
 Material: DuPont's Nomex® – Stitching: Local  
 Colors: Navy Blue, Orange  
 Reflecting Tape: YES – 3M

HOOD: Nomex®  
 SOCKS: Nomex®  
 Gloves: Nomex® + Kavlar



**HEAT RESISTANT SUIT**

Type: Alumized  
 Origin: China  
 Resisting Capacity: 500°C & 1000 °C



**FIRE BLANKET**  
 Type: FiberGlass  
 Origin: Local/China  
 Sizes: 2x4, 4x6



**FIREMAN SHOES**  
 Type: Heat Resistant  
 Origin: China/Malaysia  
 Resisting Capacity: 600°C

# FIRE ALARM SYSTEM (ADDRESSABLE)

## SmartLoop

Networkable analogue addressable fire alarm control panel with 1 loop expandable to 8



### ED100 Optical smoke detector



The ED100 optical smoke detector is based on the Tyndall effect (diffusion of light) and provides first-rate early warning in the event of fire. It offers wide-spectrum detection of smoke particles generated by the majority of fires. The newly designed optical chamber with sealed upper-part and 500 µm holes diameter mesh insect screen ensure high immunity to false alarms. The sensitivity can be configured to suit a wide range of applications (sensitivity configurable as: 0.08dB/m; 0.10dB/m; 0.12dB/m; 0.15dB/m).



### ED200 Heat detector



The ED200 heat detector can be configured in the following modes: AIR mode (fixed threshold at 58°C with thermovelocimetric detection); B mode (fixed threshold at 72°C); A2S mode (fixed threshold at 58°C). BR mode (fixed threshold at 72°C with thermovelocimetric detection). As a result of high flexibility, this detector is useful in places where the environment is dusty or smoky and the risk of false alarms is high.



### ED300 Smoke and Heat detector



The ED300 smoke and heat detector has new smoke and temperature sensing technologies. As a result, this improved reliability detector responds well to all types of fires (especially to fast burning blazing fires involving inflammable liquids, which produce a limited amount of smoke) and is highly immune to false alarms. The ED300 can be set to the sensitivity mode which best suits the application.



### EC0010E Manual callpoint for outdoor installation (IP67)



- Addressable callpoint
- Manual callpoint with resettable element. Weatherproof to IP67, suitable for outdoor installation.



### EC0020 Manual callpoint



- Manual callpoint with resettable element operated by plastic key (included).
- Warning flag and LED confirm activation.
- Selectable resistance.

Suitable to use with WCP0020 (transparent plastic screen against accidental activation) and FCP0020 (Plastic bracket for flush mounting; adaptable to UK single gang back box). DBCP0020 – Deep box for external pipe fitting.



FOR COMPLETE CATALOGUE EMAIL US, CONVENTIONAL FIRE ALARM SYSTEMS ARE ALSO AVAILABLE

# FIRE HYDRANT ACCESSORIES



**Hydrant Cabinet**

Origin: LOCAL / UAE

Cabinet dimensions: W=36" H=40" D=10"

Height of legs: 24" from floor level



**Breaching Inlet**

Application: For Fire Brigade Connection

Origin: UAE / LOCAL / CHINESE



**Fire Hydrant Valve 2 1/2"**

Origin: UAE/Local/Chinese



**Pressure Regulating Hydrant Valve 2 1/2"**

Application: For Fire Fighting with Set Pressure

Origin: UAE / CHINA



**Fire Hydrant 2-way Control Valve**

Origin: Local / CHINESE

Size: 4" x 2 1/2"



**Wet Type Hydrant**

Origin: UAE / Chinese / Local

Body: Gray cast iron to BS 1503


Outlet: Copper alloy to BS 12163

Inlet: 4"Ø flanged

Test pressure: 24 bar



2-WAY HYDRANT



5-WAY HYDRANT

**Wet Type Fire Hydrant Pedestal-Type**

Origin: UAE




**Multipurpose Fire Hose Reel Nozzle**

Origin: UAE / Chinese

# FIRE PUMP SETS



DESCRIPTION	
1.	ELECTRIC PUMP SET
2.	DIESEL PUMP SET
3.	JOCKEY PUMP
4.	GATE VALVE
5.	FLEXIBLE COUPLING
6.	NON RETURN VALVE
7.	BALL VALVE
8.	SUCTION MANIFOLD
9.	DELIVERY MANIFOLD
10.	PRESSURE GAUGE
11.	PRESSURE SWITCH
12.	PRESSURE VESSEL
13.	UNION



FRONT VIEW

**Brands Available: NAFFCO-UAE (NON-UL & UL LISTED)– For Complete catalogue, email us.**

**Office:** 1st Floor, Sadaat Plaza, Umer Block Allama Iqbal Town, Lahore.  
**Factory:** Ameer Chowk, 01 PCSIR Near Kot Lakhpat Industrial Area, Lahore.  
**Mob:** 0300-8402984, **E-mail:** sales@synergyfiresafety.com

## FIRE DOORS (UL LISTED)



### **ABOUT DOORS:**

NAFFCO supplies steel doors that combine fire resistance with functionality without compromising any aspect of either. These steel doors types reduce the spread of fire and enable safe egress, in addition to offering the highest degree of compartmentalization.

### **ACCESSORIES:**

Door Panel, Door Frame, Door Closer, Panic Bar, Hinges, Hand Lock, Bolts e.t.c.

### **CERTIFICATION:**

Door including its accessories are UL Listed

### **TYPES OF DOORS:**

We will supply you with a fireproof door in strong fire frames with fire glass. Our company provides the following door types: Metal Door, Interior Door, Oak Fire Doors, Doors For Security, Fireproof Door, Acoustic Doors, Exterior Doors, Commercial Door.

### **OPTIONS:**

Honeycomb and mineral wool options available, Acoustic options available, Available based on ANSI/UL10C (or) ANSI/UL10B (or) BS 476 Part 22 Standards

### **RECOMMENDED USE:**

Interior applications, Residential applications, Commercial applications, Labor camps, Warehouses, Government buildings, High impact applications, Frequent-use applications, Utility buildings, Commercial towers, Educational institutions, Healthcare buildings

### **DESIGNS:**

Polyester powder coated, Epoxy powder coated, Wood finish, Stainless steel.

# INDUSTRIAL SAFETY EQUIPMENT



**SAFETY SPECTACLES**  
Origin: China/Taiwan  
Color: Clear, Black, Green



**SAFETY HARNESS (Fall Protection)**  
Origin: Local/China/Taiwan/Holland



**SAFETY BELT (Fall Protection)**  
Origin: Local/China/Taiwan/Holland  
Sizes: Single, Half Body, Full Body



**SAFETY GOGGLE**  
Origin: China/Taiwan  
Color: Clear



**Emergency Eye Wash Bottle**  
Origin: China



**EXIT LIGHT / EMERGENCY EXIT LIGHT**  
Origin: China  
Battery Backup: YES



**CHEMICAL SPLASH (GOGGLE)**  
Origin: Taiwan  
Color: Clear



**FACE SHIELD**  
Origin: Taiwan  
Color: Clear



**SIREN HOOTER**  
Origin: China/Local  
Range: 1.5km, 2.5km



**CHEMICAL HOOD**  
Origin: Taiwan  
Light weight with twin cartridge respirator



**DISPOSIBLE FACE MASK**  
3ply with filter non-woven face mask  
Origin: China



**FULL FACE RESPIRATOR**  
Origin: Taiwan



**CARTRIDGE OF FULL FACE RESPIRATOR**  
Origin: USA

**DUST RESPIRATOR**  
Single Cartridge RC101  
Included  
Origin: China, Taiwan



**CHEMICAL RESPIRATOR**  
Single cartridge and twin exhalation valves  
Origin: China, Taiwan

**DUST RESPIRATOR**  
Twin Cartridge RC101  
Included  
Origin: China, Taiwan



**CHEMICAL RESPIRATOR**  
Twin cartridge and twin exhalation valves  
Origin: China, Taiwan



**3M™ N95 Particulate Respirator**



**RESPIRATOR CARTRIDGES**



**DISPOSIBLE DUST RESPIRATOR**



**Knitted Work Wear Gloves**  
Origin: Local



**MASH GLOVE**  
(CUT RESISTANCE)  
Origin: USA



**ELECTRIC SHOCK RESISTANCE GLOVES**  
Origin: Taiwan



**Chemical Gloves**  
Sizes: 12", 16" 18"  
Origin: China



**LEATHER GLOVES**  
Sizes: 12", 16" 18"  
Origin: Local



**KAVLAR GLOVES**  
Origin: USA



**Nitrile/Vinyle/Sterile Gloves**  
Origin: China



**FIRE RESISTANT GLOVES**  
Origin: China/Taiwan



**DISPOSABLE**  
Gloves, Cap, Shoe  
Origin: China

P.S: Due to wide range of gloves, only selective gloves are shown



**HELMET MOUNTED  
FACE SHIELD**  
Origin: Taiwan



**SAFETY FULL BRIM HELMET**



**SAFETY HELMETS**

**Type:** Full Head, Air Hold, With Richet, Without Richet  
**Origin:** Local, China, Taiwan, USA  
**Color:** White, Yellow, Red, Blue, Green



**SAFETY HELMETS**  
Origin: China, Taiwan



**SAFETY EAR PLUGS**  
**Type:** Foam, Sillicon  
**Origin:** China, Taiwan



**FIRST AID KIT/BOX**  
**Type:** Pouch, PVC, Wooden  
**Origin:** China / Local



**SAFETY GUM BOOTS**  
**Type:** Rubber  
**Sizes:** Half / Full  
**Origin:** Local, Thailand, Irani



**SAFETY SHOES**  
**Type:** Oil/Acid Resistant, Anti- slippery, Steel Toe  
**Origin:** Local, Taiwan, China

## SCBA / SELF-CONTAINED BREATHING APPARATUS

### Complete Kit

- 1) Autonomous Breathing Apparatus 6 Lt of Compressed Air at 300bar, 60' Minute Operation, with Anatomic Back Support and Belts made from Fire - Resistant Material. Packed in Special Suitcase. MED certified.
- 2) Working pressure: 300bar Air Supply: >=300Lt/min Output pressure: 6.5±2 bar Opening pressure: 10~12 bar Closing pressure: >=8.5bar Alarm pressure: 50~60 bar Sound level: >=90dB Breathing capacity: 100Lt/min Breathing resistance: 0~1000pa Static pressure: <=300pa

**ORIGIN: CHINA/EUOPRE/USA/CANADA**



## FIREMAN HELMET

Application: For Emergency Response at Fire, Fire Retardant Material to prevent Fire Heat with Visor & High visible LED torch  
 Material: Fire Retardant  
**Origin: China, USA**



## HAND-HELD METAL DETECTOR

- 1) Light in weight, Easy to use
- 2) Automatic reset function
- 3) Can be operated simply and is portable.
- 4) It can be charged. The time of charging is 4-6 hours
- 5) It has double indication modes, namely sound & light and vibration


**ORIGIN: CHINA / TAIWAN / USA**



## RESCUE STRETCHER / FOLDING

- 1) Light Weight, easy clean, anodized aluminium alloy framework.
- 2) Washable, water proof & anti-fungus fabric top.
- 3) Unfolded Size (LxWxH): 221x53x15cm, Folded Size (LxWxH): 108x18x11cm.
- 4) Self-weight: 5 kg, Load Bearing: 119 kg.
- 5) Supplied with carry bag.

**ORIGIN: TAIWAN**



# ROAD SAFETY EQUIPMENT



**BARIER TAPE**  
 Type: Polythene  
 Sizes: 3 Inch  
 Origin: China, Taiwan



**FLOOR MARKING TAPE**  
 Sizes: 3 Inch  
 Origin: China



**BARIER TAPE**  
 Type: Polythene  
 Sizes: 3 Inch  
 Origin: China, Taiwan



**CAR CHECKING MIRROR**  
 Type: Convex Mirror with Torch  
 Origin: China



**ADDRESSIVE MARKING TAPE**  
 Type: PVC / Sticking  
 Sizes: 1½", 2", 3" Inch  
 Origin: Taiwan



**TRAFFIC CONES**  
 Type: Hard, Flexible PVC  
 Sizes: 12", 18", 26"  
 Origin: Local / Taiwan



**CONVEX MIRROR**  
 Type: Glass/Plastic  
 Origin: Local/China



**CATE EYES / ROAD STUDS**  
 Type: Plastic / Alumunize  
 Origin: Local / China /Taiwan

# EMERGENCY LIGHTS



## EXIT SIGN

**GX-200NG/NR**

Exit Sign with Battery Backup  
Red and Green color Available  
UL Approval UL No. E315865



## EXIT COMBO

**GCB-200SG**

Exit Combo Light with Battery Backup  
Red and Green Color Available  
UL Approval: UL No. E315865



## EXIT SIGN

**GSEL-200DG**

Exit Sign with Battery Backup  
Green Color Available  
UL Approval  
UL No. E315865  
Double Face/Green



## EXIT SIGN

**GN-206**

Exit Sign with Battery Backup  
Green Color Available  
Down Available



## EMERGENCY LIGHT

**GXL-150**

Dual Head Emergency Light  
with Battery Backup



## EXIT SIGN

**GSA-02**

Exit Sign  
with Battery Backup  
Green Color Available  
CE and Rohs



## WORK WEAR



### WORK WEAR

**Type:** Coverall / Pant Shirt

**Colors:** Green, Blue

**Origin:** Local / China



### RAIN COAT

**Colors:** Yellow

**Origin:** Taiwan



### REFLECTIVE SAFETY VEST

**Type:** Bubble Reflective, Glowing Reflective, Net material, Cotton

**Colors:** Orange/Green

**Origin:** Local, China



### LIFE JACKET

**Origin:** Taiwan



### CHEMICAL APRON

**Colors:** Yellow, Blue

**Origin:** China

# CHEMICAL SAFETY WEAR



**CHEMICAL SUIT**  
Tychem C® (DuPont)  
Origin: USA



**CHEMICAL SUIT**  
Tychem F® (DuPont)  
Origin: USA



**CHEMICAL SUIT**  
Tyvek® (DuPont)  
Origin: USA



**CHEMICAL HOOD**  
Origin: Taiwan  
Light weight with twin  
cartridge respirator

# EMERGENCY SHOWERS



**Emergency Eyes Washer**  
Origin: China  
Material: MS



**Emergency Shower & Eye Washer**  
Origin: China  
Material: MS



**Emergency Shower & Eye Washer**  
Origin: China  
Material: Stainless Steel (SS)



**Emergency Eye Washer Bason**  
Origin: China  
Material: Stainless Steel (SS)

## Services

We are committed to provide reliable solutions using our literate team of experts and state of art technology following the local standards with safe & sound environmental practice.

Our goal is to meet our client's objectives deliver on time and ensure total client satisfaction.

- Complete periodic & preventive maintenance of Fire System.
- Complete periodic & preventive maintenance of Fire Hydrant System, Fire Sprinkler System, Fire Pump Sets e.t.c. Maintenance and installation of Fire Alarm System.
- Maintenance and installation of Fire Alarm System.
- Fire Retardant Coating on all Building Structure, Steel Structure, Pipings etc.
- Refilling, Maintenance and installation of Fire Extinguishers.
- Building of Fire Evacuation plans.
- Installation of Fire Hydrant Systems.
- Installation of Fire Sprinkler Systems.
- Installation of Automatic Fire Extinguishers.
- Floor Marking via rubberized paint and/or tape.
- Fire fighting, Fire Drill and First-aid training.
- Fire Risk Assesments & GAP Analysis.
- Incident Investigations and Root Cause Analysis (RCA).
- Provide complete solution in order to meet Compliance requirements.
- Maintenance and certification (Civil Defence).
- Provide turn key solutions to inspect/maintain/operate Fire fighting System and facilitate client by providing Trained & Professional Fire Personnel to safeguard lives and asset.